

# Asphalt Zipper

300XLP  
420XLP

GEN  
8

WITH ACCU-TRAK™ WHEEL ASSIST



**ALL-NEW  
MODELS**

## Low Profile 30" or 42" Cutting Width Recycler/Reclaimer and Stabilizer With PATENTED ZipTec™ Enhanced Pulverizing System

COMPACT TRACK LOADER MOUNT


Introducing the **MOST POWERFUL** Reclaimer/Recycler attachments for compact track loaders! The all-new 300XLP and 420XLP models provide unmatched power and productivity with up to 40X the production of hydraulically powered attachments. Powered by the latest Cummins intercooled turbo-diesel **Tier 4 Final Performance Series** engines, they incorporate the latest Generation 8 technology and feature enhancements. You can now pulverize up to 10-inch-thick asphalt in a single pass with unsurpassed material quality and gradation. Full road repairs, street patches, base stabilization, and opening utility trenches in asphalt are just a few of their many uses.

# Packed with the Latest Generation 8 Features and Technology

**100 gallon water supply system** included, for an on-board, steady supply of water

**Cummins 130 hp Tier 4 Final Performance Series engine** for quieter, cleaner power

**Hydraulically secured top hatch** with automatic latching and overload protection



**Upgraded control panel and wireless remote** with expanded functionality

**Hydraulically activated auto-adjusting clutch**, remote engage, and loader operator's safety stop

**Heavier-duty planetary / gear box** for even greater durability

**Full-range depth adjustment**, independent of the loader

**Automatic hydraulic belt tensioning** that is dynamically self-adjusting and releases tension when not in use, for greater longevity

**Wireless control box** for cab of host vehicle for quicker, more convenient installation and disconnection, with improved display

**Push cooling** for lower under-hood temperatures

**Innovative liquid cooling jacket** for up to 5X improved planetary cooling

**Anti-chunking material channeler** that improves material containment for finer material

**Quick-Load™ guiding system** on all custom trailers, for easier loading


**And much more ...**

**Integrated ZipTec™ Enhanced Pulverizing System**, with full depth range, contained grinding chamber, and a remote-controlled active-hydraulic adjustable baffle for regulating material size

**Hardox®-reinforced steel frame** with greater internal abrasion resistance, for longer life

**Milling sled** for easier leveling

**Accu-Trak™ Wheel Assist system** with remote-control steering, for more precise maneuvering and fine control of milling depth, enabling use with smaller host vehicles





**NEW** Wireless Control Box with E-Stop and tachometer gives host vehicle operator control over select Zipper functions.

## Specifications

Model	300XLP-130H GEN 8	420XLP-130H GEN 8
Engine	Cummins <b>130 hp</b> Turbo-Diesel <b>Tier 4 Final</b> Performance Series	Cummins <b>130 hp</b> Turbo-Diesel <b>Tier 4 Final</b> Performance Series
Torque	457 ft·lb 620 N·m	
Weight	9000 lbs 4082 kg	TBD
Cutting Width	30 inches 762 mm	42 inches 1067 mm
Cutting Depth	0 to 10 in 0 to 254 mm	

Asphalt Zipper reserves the right to change specifications at any time. U.S. Patent nos. 7036252, 7066555, 7144087, 8177456, 10086867. Other U.S. and international patents pending.

# Asphalt Zipper

World Leader in Portable Recyclers/Reclaimers and Stabilizers



Toll-free: 888-ZIPPER-8 (947-7378)

310 West 700 South, Pleasant Grove, UT 84062  
Main: 801-847-3200 • Fax: 801-847-3250

[AsphaltZipper.com](http://AsphaltZipper.com)

## Standard Features

Cutter Head	420X/300X
Cutting Bits	Double-carbide, bullet-head
Containment System	<b>ZipTec™</b> Enhanced Pulverizing System with active-hydraulic rear baffle
Planetary	Fairfield Magnum-duty
Depth Control	Hydraulic (infinitely adjustable)
Rear Baffle	Infinitely adjustable, active-hydraulic, remote-controlled
Bit Hatch	<b>Hydraulically powered</b> , top-access, with hydraulic clamping and shock absorption
Mounting System	Quick Coupler
Stabilization	Built-in <b>Accu-Trak™</b> Wheel Assist
Controls and Monitoring	<ul style="list-style-type: none"> <li>Control Panel (on machine)</li> <li><b>Wireless Control Box</b> (for host vehicle)</li> <li>Wireless Remote Control (for groundsmen)</li> </ul>
Water Supply	100 gallon
Transport	Tows behind 1-ton pickup on tandem-axle trailer (optional).
Additional Features	<ul style="list-style-type: none"> <li>Built-in spray system</li> <li>Hydraulic belt tensioning</li> <li>Planetary cooling jacket</li> </ul>

## Available Options

Side Shift and Tilt Quick Coupler Mounting System

Custom Trailer